



FalconBrush

AUTOMOTIVE



PROFESSIONAL CAR & TRUCK CLEANING TOOLS

Auto-& Truckwash brushes in Flagged Rilsan®

RILSAN® FLAGGED BRISTELS

This FalconBrush is made from high-quality synthetic **RILSAN** (Polyamide 11), which is derived from castor oil, a plant-based oil. **RILSAN** retains its original characteristics, such as shape and elasticity. That is why this brush never has a single crushed bristle, unlike other brushes. **Always rinse dirt and sand from vehicle before use.**



Do not contain monomers (anti-allergenic) • Working temperature -20°C up to 80°C • Impact & abrasion resistance, flexible, long lasting toughness & durable • Greater resistance against bases, chemical products and detergents • Excellent shape memory

Brush - plastic block - metal socket

Reference 1091P
Material **RILSAN** 0.27 mm flagged ↑ 60 mm
Dimensions 250 x 70 x 135 mm



Reference 1091P2
Material **RILSAN** 0.27 mm flagged ↑ 60 mm
Dimensions 350 x 70 x 135 mm



Use tapered handles, metal or wood



H²O-brush - waterflow - rubber bumper

Reference 1093/20
Material **RILSAN** 0.27 mm flagged ↑ 55 mm
Dimensions 200 x 80 x 130 mm



Reference 1093/25
Material **RILSAN** 0.27 mm flagged ↑ 55 mm
Dimensions 260 x 85 x 130 mm



Reference 1093/35
Material **RILSAN** 0.27 mm flagged ↑ 55 mm
Dimensions 360 x 85 x 130 mm



Water trough Tuft



Auto-& Truckwash brushes in Flagged Rilsan®




Bi-level waterflow brush

Reference BILEVRIL

Material  0.27 mm flagged ↑ 55 mm

Dimensions 250 x 160 x 120 mm



Multi Jet



Tankbrush

Reference 7070FB

Material  0.27 mm flagged ↑ 55 mm

Dimensions 230 x 160 x 115 mm



General purpose short handle rim- and windowbrush

Reference 7060FB

Material  0.27 mm flagged ↑ 55 mm

Dimensions 250 x 80 x 115 mm



General purpose long handle rim- and windowbrush

Reference 7065FB

Material  0.27 mm flagged ↑ 55 mm

Dimensions 410 x 60 x 70 mm



Auto-& Truckwash brushes in PBT

POLYESTER PBT BRISTELS

Do not absorb water and are not affected by humid environments. Can be sterilised in a sterilising machine. Heat resistant up to 134°C, good bending resistance. **Always rinse dirt and sand before use.**

Brush - plastic block - metal socket

Reference 1091P/PBTZB

Material PBT 0.25 mm flagged ↓ 60 mm

Dimensions 250 x 70 x 130 mm



Reference 1091P2/PBTZB

Material PBT 0.25 mm flagged ↓ 60 mm

Dimensions 350 x 70 x 130 mm



Use tapered handles, metal or wood




Brush - plastic block - waterflow - plastic socket

Reference 1092P/PBTZB

Material PBT 0.25 mm flagged ↓ 60 mm

Dimensions 260 x 75 x 110 mm



Single Jet




Brush - plastic block - waterflow - plastic socket

Reference 1092P/PBTZB

Material PBT 0.25 mm flagged ↓ 60 mm

Dimensions 260 x 75 x 110 mm



Single Jet



H²O-brush - waterflow - rubber bumper

Reference 1093/20/PBTZB

Material PBT 0.25 mm flagged ↓ 55 mm

Dimensions 200 x 80 x 130 mm



Reference 1093/25/PBTZB

Material PBT 0.25 mm flagged ↓ 55 mm


Dimensions 260 x 85 x 130 mm



Reference 1093/35/PBTZB

Material PBT 0.25 mm flagged ↓ 55 mm

Dimensions 360 x 85 x 130 mm



Water trough Tuft



WATERFLOW THROUGH TUFT SYSTEM

Water flows through tuft holes. Dirt and sand are continuously washed out of each one of the tufts.

This prevents grinding the paintwork. **Always rinse dirt and sand before use.**


Auto-& Truckwash brushes in PBT

Bi-level waterflow brush

Reference BILEVPBT

Material PBT 0.25 mm flagged $\downarrow$ 55 mm

Dimensions 250 x 160 x 120 mm



Multi Jet

Tankbrush

Reference 7070/PBTZB

Material PBT 0.25 mm flagged $\downarrow$ 55 mm

Dimensions 230 x 160 x 115 mm



Accessories

General purpose short handle rim- and windowbrush

Reference 7060/PBTZB

Material PBT 0.25 mm flagged $\downarrow$ 55 mm

Dimensions 250 x 80 x 115 mm



General purpose long handle rim- and windowbrush

Reference 7065/PBTZB

Material PBT 0.25 mm flagged $\downarrow$ 55 mm

Dimensions 410 x 60 x 70 mm



Rim cleaner double pleated model softgrip


Reference RIMBRU3

Material Horsehair

Dimensions 285 x 85 x 70 mm



Solar panel and window brush




Bi-level waterflow solar panel and window brush


Reference BILEVSUN

Material PPN 0.35 mm flagged $\updownarrow$ 50 mm

Dimensions 250 x 160 x 115 mm



Multi Jet



BI-LEVEL No need of a bendable handle, due to the shape of the bi-level, the fibres always touch the surface!
Always rinse dirt and sand before use.

Handles & Tooling

Hydro foamer gun

Reference HFG
Material Abs/hdpe/pom/rubber/rvs
Dimensions 22 x 15 x 85 mm
Volume 650 ml - 1:50/2% soap



Handle fiberglass waterflow

Reference 7054/H/150/Q
Material Polypropylene glasfiber reinforced
Dimensions 1500 x Ø 32 mm



Telescopic waterflow handle with waterhose inside to prevent leakage on the locking part

Reference W2X100
Material Alu anodise
Dimensions 2 x 1000 mm



Telescopic waterflow handle with bending and waterhose inside to prevent leakage on the locking part

Reference W2X100K	Reference W2X150K
Material Alu anodise/PPN	Material Alu anodise/PPN
Dimensions 2 x 1000 mm	Dimensions 2 x 1500 mm





Telescopic waterflow handle with tap and quicklock adapter

Reference HW2X100
Material Alu anodise
Dimensions 2 x 1000 mm




Reference HW3X140
Material Alu anodise
Dimensions 3 x 1400 mm





FalconBrush
AUTOMOTIVE



FALCON AUTOMOTIVE QUALITY TOOLS

DECOF BVBA - NOORDKAAI 34 - 8870 IZEGEM - BELGIUM

TEL. +32 51 31 20 24 - FAX +32 51 31 40 72 - WWW.FALCONBRUSH.COM - INFO@FALCONBRUSH.COM